Certificate of Analysis

OVERALL RESULT, LOT 1043742662

All 4 tested rows within specification.

It does not cover everything on the label. See "Not covered by this certificate".

4/4 PASS

PRODUCT NAME	LOT NUMBER	TESTING COMPLETED
Grow Collagen	1043742662	Not stated

01 Heavy metals

ICP-MS/MS

ANALYTE	RESULT	LOQ	LOD	LIMIT	PASS/FAIL
Arsenic About 2.48% of the limit.	12.38 ppb	0.69 ppb	NS	500 ppb	PASS
Cadmium About 2.6% of the limit.	5.32 ppb	0.12 ppb	NS	205 ppb	PASS
Lead Below the smallest amount the test can measure.	ND	1.94 ppb	NS	25 ppb	PASS
Mercury Under 5% of the limit.	< 0.75 ppb	0.75 ppb	NS	15 ppb	PASS

NOT COVERED BY THIS CERTIFICATE

Collagen content and identity.

Microbes, pesticides and allergens.

A test date, a manufacturing date and an expiry date.

The name of the testing laboratory. The source says only that the method is in the laboratory's ISO 17025 scope.

NOTES

NS = not stated on the source. LOD = limit of detection. LOQ = limit of quantification. CFU = colony forming unit. <LOQ = below the limit of quantification. The line under a row is IngredientMD's reading of that row against its own limit.

The manufacturer's certificate names no testing laboratory. IngredientMD read the manufacturer's certificate against the label and reissued it for the tested lot. The source is a representative certificate: it speaks for the tested lot, not for each unit. **Labs run the tests. IngredientMD reviews the results.**

DISCLAIMER

The manufacturer states that this lot was tested using validated methods under current Good Manufacturing Practices. Values reported relate only to the lot tested. This document is IngredientMD's reissue of the manufacturer's certificate and is provided for general quality and informational purposes only. It makes no claim as to the efficacy or safety of the product, or other risks associated with any detected or non-detected levels of the compounds reported herein. This certificate shall not be reproduced, except in full, without the written approval of IngredientMD.